



OFFICE OF THE REGISTRAR
MAHAPURUSHA SRIMANTA SANKARADEVA VISWAVIDYALAYA

[Established under the Assam Act No. XIX of 2013]

HALADHAR BHUYAN PATH, KALONGPAR, NAGAON, PIN-782001: ASSAM: INDIA

e-mail: mssvnagaon@gmail.com, registrarmssv@gmail.com

website : www.mssv.co.in Phone No. : 9531089105, 03672-231146

Ref. No.: MSSV/R/59/2015/

Date: 20.08.2018

NOTICE RE-INVITING QUOTATION FOR WORKS

Sealed quotations are invited from the competent and eligible firms/ parties **for fitting charges of equipments of water supply and sanitary works** of the Administrative-cum-Academic building at Mahapurusha Srimanta Sankaradeva Viswavidyalaya, Kalongpar, Nagaon as per the required specifications which can be obtained from the Office of the undersigned during office hours.

The **sealed quotations** must reach the office of the undersigned **on or before 28th August, 2018**. The party has to pay **an amount of Rs. 1,000.00 (Rupees one thousand) only in cash to Accounts Branch of the University and submit copy of the receipt alongwith the quotation**. The firms/parties shall submit proof of GST Registration, PAN/TIN.

The undersigned reserves the right to accept or reject any quotation without notice.

Sd/-
(Dr. D. Thakuria)
Registrar (i/c),
MSSV, Nagaon
Date: 20.08.2018

Memo No: MSSV/R/59/2015/**10561-66**

Copy to:

1. The Hon'ble Vice-Chancellor, MSSV, Nagaon for kind information.
2. The Executive Engineer, PWD (Building), Nagaon for information and necessary action.
3. Dr. Santanu Kalita, Asstt. Professor & Head (i/c), Deptt. of Computer Application, MSSV, Nagaon with a request to upload the notification in the University website **www.mssv.co.in**.
4. The Accounts Officer, MSSV, Nagaon for information and necessary action.
5. The Project Technical Assistant (P.T.A.), MSSV, Nagaon for information and necessary action.
6. Notice Board.
7. Office file.

(Dr. D. Thakuria)
Registrar (i/c),
MSSV, Nagaon

NAME OF WORKS: CONSTRUCTION OF ACADEMIC BUILDING AT KALONGPAR, NAGAON (MSSV).

Fitting Charges of equipments of Water Supply and Sanitary Works

SANITARY WORKS INDIAN TYPE WATER CLOSET		Unit	Rate	Remarks
<u>Sl.No.64</u> 1.1	Providing fitting and fixing vitreous water closet squatting pan (Indian type W.C. Orissa pattern) with all fitting and fixtures complete including cutting and making good to the walls and floors wherever required. (Flushing Cistem to be paid separately)			
1.1.1	Indian type W.C. Orissa pattern of size 580x440 mm	Each		
EUROPEAN TYPE WATER CLOSET		Unit	Rate	Remarks
<u>Sl.No. 65</u> 1.2	Providing fitting and fixing vitreous china pedestal type water closet (European type W.C. pan 400 mm high) with seat and lead, CP brass hinges and rubber buffers, CI/MS brackets, 40 mm dia flush band with fittings and brackets, required. (Flushing Cistem to be paid separately)			
	C) Jaquar make (a) White (i) Size 530x370x360 (Cat No. CNS-WHT_WS01) inclusive of seat cover) PVC FLUSHING CISTERN	Each		
		Unit	Rate	Remarks
<u>Sl.No. 66</u> 1.5	Supplying, fitting and fixing PVC flushing cistem with all internal fittings with CI size CP flush pipe, union clamps etc. Compete as directed and specified (pipes will be measured separately) ii) Hindware make a) White (i) Sleek + PVC cistem	Each		
URINAL		Unit	Rate	Remarks
<u>Sl.No. 67</u> 1.7	Providing fitting and fixing vitreous china flat back type lipped front urinal basin of with automatic flushing cistem with standard flush pipe and CP brass spreader and brass unions, etc. complete including painting of fitting and brackets, cutting and making good the walls & floors wherever required. B) Hindware Make (a) White (ii) URINAL ALEXA E-Sense (Cat. No. 96005)	Each		
SQUATING PLATE URINAL		Unit	Rate	Remarks
<u>Sl.No. 68</u> 1.9	Providing fitting and fixing vitreous china squatting plate urinal with automatic flushing cistem with standard flush pipe and CP brass spreader and brass unions, etc. Complete including painting of fittings and brackets, cutting and making good the walls & floors wherever required. (A) Parryware Make (i) White (Cat. No. C0503)	Each.		
DIVISION PLATE		Unit	Rate	Remarks
<u>Sl.No. 69</u> 1.11	Supplying fitting and fixing vitreous china division plate including fitting and fixing compete as directed and specified. (i) Parryware Make (a) White (i) Partion Magnum/ Large (Cat. No. C0571/07)	. Each		
WASH BASIN		Unit	Rate	Remarks

<u>Sl.No.70</u> 1.13	Providing vitreous China wash basin with CI/MS brackets, C.P brass chain with plug, PVC waste pipe including painting of fittings and brackets, cutting and making good the walls wherever required. (Pillar cock, stop cocks, waste coupling are to be paid separately)	Each		
1.13.2	Basin (without pedestal) (B) Hindware Make (a) White (i) Standard 630x450 (Cat. No. 10001)	Each		
1.13.5	Counter Top Basin (b) Hindware Make (ii) Round Starlet 490 dia (Cat. No. 10052)	Each		
MIRROR		Unit	Rate	Remarks
<u>Sl.No. 71</u> 1.19	Providing fitting and fixing Decorative Mirror complete as directed and specified (A) Parryware Make (B) Size 600mm X 450mm	Each		
SHELF		Unit	Rate	Remarks
<u>Sl.No. 72</u> 1.20	Providing fitting and fixing Glass Shelf complete as directed and specified.	Each		
1.20.1	Glass Shelf with C.P. guard rail (i) Sona make (Cat. No. TR-0701)	Each		
SOAP TRAY, SOAP DISH, LIQUID SOAP DISPENSER AND LIQUID SOAP		Unit	Rate	Remarks
<u>Sl.No. 73</u> 1.21	Providing, fitting and fixing recessed soap tray/ soap dish complete as directed and specified. (a) Parryware Make (ii) Wall Soap tray (Cat. No. C9951)	Each		
TOWEL RAIL, TOWEL RACK & TOWEL RING		Unit	Rate	Remarks
<u>Sl.No. 74</u> 1.24	Providing, fitting and fixing CP towel rail complete as directed and specified. (a) Jaquar make (ii) Continental 600 mm (Cat. No. ACN- 1111N)	Each		
TOILET PAPER HOLDER		Unit	Rate	Remarks
<u>Sl.No. 75</u> 1.31	Providing fitting and fixing chrome plated (CP) toilet paper holder of Jaquar make complete as directed and specified. (a) Jaquar make (iii) Queen's toilet paper holder (Cat. No. AQN- 7751)	Each		
WASTE COUPLING		Unit	Rate	Remarks
<u>Sl.No.76</u> 1.32	Providing fitting and fixing Chrome Plated waste coupling complete as directed and specified. (a) Jaquar make (i) 32 mm size (HT/FT) (Cat. No. ALD-705/709)	Each		
BOTTLE TRAP		Unit	Rate	Remarks
<u>Sl.No. 77</u> 1.33	Providing, fitting and fixing chrome plated bottle trap complete as directed and specified. (a) Jaquar make (i) Bottle trap (with internal partition) 32 mm size with 250 mm long wall connection pipe (Cat. No. ALD-769)	Each		
1.37 PVC PIPES, BENDS, JUNCTIONS, TEES ETC.		Unit	Rate	Remarks
<u>Sl.No. 78</u> 1.37.1	Supplying, fitting and fixing PVC pipes of 6 Kg/cm ² (Supreme/Price) or other ISI approved including joining, fitting and fixing with clamps etc. As necessary complete at all levels			

	including below G.L. as directed and specified. (a) In exposed surfaces or in trenches. (ii) 110 mm dia. (iv) 75 mm dia.	R.M. R.M.		
	(b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages. (ii) 110 mm dia. (iv) 75 mm dia	R.M. R.M.		
		Unit	Rate	Remarks
<u>Sl.No. 79</u> 1.37.2	Supplying, fitting and fixing 87.5 degree PVC bend of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. As necessary complete at all levels including below G.L as directed and specified. a) In exposed surfaces or in trenches. (ii) 110 mm dia. (iv) 75 mm dia	Each Each		
	b) Concealed by chiselling or breaking brick wall/C.C./R.C.C. and making good to the damages. (ii) 110 mm dia (iv) 75 mm dia	Each Each		
		Unit	Rate	Remarks
<u>Sl.No. 80</u> 1.37.3	Supplying fitting and fixing 87.5 degree PVC bend with door of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. As necessary complete at all levels including below G.L. as directed and specified. a) In exposed surfaces or in trenches. (ii) 110 mm dia. (iv) 75 mm dia.	Each Each		
	(b) Concealed by chiselling or breaking brick wall/ C.C./R.C.C. and making good to the damages. (ii) 110 mm dia (iv) 75 mm dia	Each Each		
		Unit	Rate	Remarks
<u>Sl.No. 81</u> 1.37.4	Supplying fitting and fixing 45 degree PVC bend of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. As necessary complete at all levels including below G.L. as directed and specified. a) In exposed surfaces or in trenches. (ii) 110 mm dia. (iv) 75 mm dia.	Each Each		
	b) Concealed by chiselling or breaking brick wall/C.C./R.C.C. and making good to the damages. (ii) 110 mm dia. (iv) 75mm dia.	Each Each		
		Unit	Rate	Remarks
<u>Sl.No.82</u> 1.37.5	Supplying fitting and fixing PVC plain single fee of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. As necessary complete at all levels including below G.L. as directed and specified. a) In exposed surface or in trenches. (ii) 110 mm dia. (v) 75mm dia.	Each Each		
	(b) Concealed by chiselling or breaking brick wall/ C.C./R.C.C. and making good to the damages.			

	(ii) 110 mm dia. (iv) 75 mm dia.	Each Each		
		Unit	Rate	Remarks
<u>Sl.No. 83</u> 1.37.7	Supplying fitting and fixing PVC single 'y' of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. As necessary complete at all levels including below G.L. as directed and specified. a) In exposed surfaces or in trenches. (ii) 110 mm dia. (iv) 75 mm dia.	Each Each		
	b) Concealed by chiselling or breaking brick wall/C.C/R.C.C and making good to the damages. (ii) 110 mm dia. (iv) 75 mm dia.	Each Each		
	COWEL	Unit	Rate	Remarks
<u>Sl.No. 84</u> 1.38	Providing fitting and fixing 50 mm dia. HCl cowel with cement caulking complete as directed and specified.	Each		
	GRANTING	Unit	Rate	Remarks
<u>Sl.No. 85</u> 1.40	Providing fitting and fixing C.P.Grating to the floors complete as directed and specified. (a) 110 mm dia.	Each		
	MANHOLE COVER	Unit	Rate	Remarks
<u>Sl.No. 86</u> 1.47	Providing fitting and fixing 450 mm dia. 90 mm thick C.I. Man hole cover and frame of 38 kg. Weight complete as directed and specified	Each		
	SOAK PIT AND INSPECTION CHAMBER	Unit	Rate	Remarks
<u>Sl.No. 87</u> 1.51	Construction of fitter bed in soak pit including earth work in excavation of soil and then filling up of the trench with brick bats/Charcoal covered with earth over a layer of A.C. plain sheet above brick bat filling complete as directed. (Sizes of soak pit may vary depending on the sizes and capacities of the septic tank as well as the number of users as mentioned in the table.	Cum		
		Unit	Rate	Remarks
<u>Sl.No.88</u> 1.52	Construction of inspection pit inside measurement 450 mm x 450 mm x 450 mm flush with 100 mm diameter HCl/PVC pipes and cement concrete base in proportion 1:3:6 over flat brick soling, 12 cm brick wall in cement mortar in proportion 1:4 finished with 13 mm cement plaster in proportion 1:2 inside wall and floor, 450 mm x 450 mm air tight C.I. inspection pit over and frame complete including supplying of materials, necessary excavation of pits as directed.	Each		
	AJAY FLOWGUARD CPVC PIPE	Unit	Rate	Remarks
<u>Sl.No. 89</u> 1.54	Supplying fitting and fixing, Ajoy Flowguard CPVC (Chlorinated Polyvinyl Chloride) pipes having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fitting including clamps at 1.00 m spacing including joining of pipes and fitting with one step CPVC solvent cement and testing of joints complete at all levels as directed and specified. (Note : Ball valve and union will be charged extra and does not comes under Accessories) (i) In internal wall – exposed on walld (d) 32 mm OD (e) 40 mm OD (f) 50 mm OD	R.M. R.M. R.M.		

	(ii) Concealed by chiselling or breaking brick wall/C.C/R.C.C. and making good to damages (a) 15 mm OD (b) 20 mm OD (c) 25 mm OD	R.M. R.M. R.M.		
3.2	BIB COCK	Unit	Rate	Remarks
<u>Sl.No. 90</u> 3.2.1	Supplying fitting and fixing C.P. bib cock 15 mm dia of approved brand directed and specified. (G.I. & C.P. pipes will be measured separately) (i) Essco make (Delux/ Sumthing spl./ Tropical) (a) Bib cock short body	Each		
3.3	STOP COCK	Unit	Rate	Remarks
<u>Sl.No. 91</u> 3.3.1	Supplying fitting and fixing stop-cock of approved brand of size as mentioned below and directed and specified (G.I. & C.P. pipes will be measured and paid separately) (I) Brass stop cock (heavy) of Sant make (i) 15 mm dia. (ii) 20 mm dia.	Each Each		
3.5	PILLAR COCK	Unit	Rate	Remarks
<u>Sl.No. 92</u> 3.5.1	Supplying and fitting fixing C.P. pillar cock of 15 mm dia of approved brand as specified and directed. (I) Agmecco (classic) (a) Flat	Each		
3.17	VALVE	Unit	Rate	Remarks
<u>Sl.No. 93</u> 3.17.1	Supplying and fitting gun metal country pit valve (full way valve) ISI Make as specified and directed. b) 50 mm dia. c) 25 mm dia.	Each Each		
		Unit	Rate	Remarks
<u>Sl.No.94</u> 3.17.3	Supplying fitting and fixing gun metal check valve including necessary threads to pipes. a) 50 mm dia. (Heavy duty)	Each		
5.4	WATER TANK	Unit	Rate	Remarks
<u>Sl.No. 95</u> 5.4.2	Supplying and placing plastic cylindrical vertical cloused top (PCVC) tank of Sintex/Each Polycon/Patton make over th staging with 2000 Lt. capacity	Each		



(Dr. D. Thakuria)
Registrar (i/c),
MSSV, Nagaon